

PG750 Pro-Grip Walkway Granules

Prepared to U.S. OSHA, CMA, ANSI, Canadian WHMIS, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Union REACH Regulations

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: PG750 Pro-Grip Walkway Granules

CHEMICAL FAMILY NAME: Mixture U.N. NUMBER: None

U.N. DANGEROUS GOODS CLASS: Non-Regulated Material

SUPPLIER/MANUFACTURER'S NAME: Progressive Materials, LLC

ADDRESS: 540 Central Court, New Albany, IN 47150 USA

EMERGENCY PHONE: TOLL-FREE in USA/Canada - Chemtrec 1-800-424-9300
National Poison Control Center (U.S.) 1-800-222-1222

BUSINESS PHONE: 812-944-7803 (Product Information)

WEB SITE: www.pmsilicone.com

DATE OF CURRENT REVISION: April 27, 2015

DATE OF LAST REVISION: New

SECTION 2 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

Product Description: This product is a granular solid with no odor.

Health Hazards: Exposure to the product may cause skin and eye irritation. Ingestion is not a normal route of exposure under normal product use. This product is composed primarily of Silica sand which may be a source of respirable dust. The sand particulates are thoroughly encapsulated in a coating which under normal circumstances should prevent the release of silica dust.

Flammability Hazards: This product is non-flammable

Reactivity Hazards: None known.

Environmental Hazards: The environmental effects of this product have not been investigated; however it is expected to

cause adverse effects in the environment.

Emergency Considerations: Emergency responders must wear the proper personal protective equipment (and have

appropriate fire-suppression equipment) suitable for the situation to which they are responding.

US DOT SYMBOLS

CANADA (WHMIS) SYMBOLS

MBOLS EUROPEAN and (GHS) Hazard Symbols

See Section 14 for Details





Signal Word: Warning!

GHS CLASSIFICATION OF SUBSTANCE OR MIXTURE IN ACCORDANCE WITH 29 CFR 1200 (OSHA HCS) AND THE EUROPEAN UNION DIRECTIVES:

This product does meet the definition of a hazardous substance or preparation as defined by 29 CFR 1910. 1200 AND the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

EU HAZARD CLASSIFICATION OF INGREDIENTS PER DIRECTIVE 1272/2008/EC:

EC# 238-878-4 This substance is not classified in the Annex I of Directive 67/548/EEC

Resin is non-hazardous and is not listed in ESIS

EC# 236-675-5 This substance is not classified in the Annex I of Directive 67/548/EEC

Component(s) Contributing to Classification(s)

Silica sand, Titanium Dioxide

GHS Hazard Classification(s):

Skin Irritant Category 2 Eye Irritant Category 2B

April 2015 Page 1 of 6 <u>www.pmsilicone.com</u>



Hazard Statement(s):

H315: Causes skin irritation H320: Causes eye Irritation

PG750 Pro-Grip Walkway Granules

Precautionary Statement(s):

P264: Wash hands thoroughly after handling

P280: Wear protective gloves/protective clothing/eye

protection/face protection

HEALTH HAZARDS OR RISKS FROM EXPOSURE:

ACUTE: This material may cause irritation to skin and eyes. This product is composed primarily of Silica sand which may be a source of respirable dust. The sand particulates are thoroughly encapsulated in a coating which under normal circumstances should prevent the release of silica dust.

CHRONIC: This product contains ingredients that are suspected of causing cancer

TARGET ORGANS: ACUTE: Eye, Skin CHRONIC: Respiratory System

SECTION 3 - COMPOSITION and INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS:	CAS#	EINECS#	ICSC#	WT %	HAZARD CLASSIFICATION; RISK PHRASES
Silica Sand	14808-60-7	238-878-4	0808	90 – 95%	HAZARD CLASSIFICATION: [Xi] Irritant RISK PHRASES: R36/38
Resin	Non- Hazardous	Not Listed in ESIS	Not Listed	1 - 8%	HAZARD CLASSIFICATION: None RISK PHRASES: None
Titanium Dioxide	13463-67-7	236-675-5	0338	0.5 – 2%	HAZARD CLASSIFICATION: [Xi] Irritant RISK PHRASES: R36/38
Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).					

NOTE:

ALL WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2010 format. This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard *JIS Z 7250*: 2000.

SECTION 4 - FIRST-AID MEASURES

EYE CONTACT: If product enters the eyes, open eyes while under gentle running water for at least 15 minutes. Seek medical attention if irritation develops.

SKIN CONTACT: Wash skin thoroughly after handling. Seek medical attention if irritation develops and persists. Remove contaminated clothing. Launder contaminated clothing before re-use.

INHALATION: If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention if breathing dificulty continues.

INGESTION: If product is swallowed, call physician or poison control center for most current information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or MSDS with the victim to the health professional.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Pre-existing skin, or eye problems may be aggravated by exposure to this product.

RECOMMENDATIONS TO PHYSICIANS: Treat symptoms and reduce over-exposure.

SECTION 5 - FIRE-FIGHTING MEASURES

FLASH POINT: AUTOIGNITION TEMPERATURE:Not Applicable
Not Applicable

FLAMMABLE LIMITS (in air by volume, %): Lower Not Applicable Upper Not Applicable

(LEL):

(UEL):

FIRE EXTINGUISHING MATERIALS: Will not burn
UNUSUAL FIRE AND EXPLOSION HAZARDS:

Explosion Sensitivity to Mechanical Impact:
Explosion Sensitivity to Static Discharge:

Not Sensitive

April 2015 Page 2 of 6 www.pmsilicone.com




SPECIAL FIRE-FIGHTING PROCEDURES:

PG750 Pro-Grip Walkway Granules

Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

NFPA RATING SYSTEM HMIS RATING SYSTEM



	TIMIO NATINO STOTEM							
H	HAZARDOUS MATERIAL IDENTIFICATION SYSTEM							
	HEALTH HAZARD (BLUE)							
	FLAMMABILITY HAZARD (RED) 0							
	PHYSICAL HAZARD (YELLOW)							
	PROTECTIVE EQUIPMENT							
	EYES	ES RESPIRATORY HANDS BOD						
	(F)	See Sect 8		See Sect 8				
For Routine Industrial Use and Handling Applications								

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic hazard

SECTION 6 - ACCIDENTAL RELEASE MEASURES

SPILL AND LEAK RESPONSE: Personnel should be trained for spill response operations.

SPILLS: Contain spill if safe to do so. Prevent entry into drains, sewers, and other waterways. Sweep or pickup using non-dusting methods and place in an appropriate container for disposal. Dispose of in accordance with applicable Federal, State, and local procedures (see Section 13, Disposal Considerations).

SECTION 7 - HANDLING and STORAGE

WORK PRACTICES AND HYGIENE PRACTICES: As with all chemicals, avoid getting this product ON YOU or IN YOU. Wash thoroughly after handling this product. Do not eat, drink, smoke, or apply cosmetics while handling this product. Avoid breathing vapors/mists generated by this product. Use in a well-ventilated location. Remove contaminated clothing immediately.

STORAGE AND HANDLING PRACTICES: Store in dry location away from food and beverages, excessive heat.

SECTION 8 - EXPOSURE CONTROLS - PERSONAL PROTECTION

EXPOSURE LIMITS/GUIDELINES:

Chemical Name	CAS#	ACGIH TWA	OSHA TWA	WEEL
Silica Sand	14808-60-7	0.05 mg/ m ³	10mg/m3 % SiO2 + 2	0.05 mg/ m ³
Resin	Non-Hazardous	10 mg/m³	10 mg/m³	10 mg/m³
Titanium Dioxide	13463-67-7	10 mg/m ³	10 mg/m³	10 mg/m³

Currently, International exposure limits are not established for the components of this product. Please check with competent authority in each country for the most recent limits in place.

VENTILATION AND ENGINEERING CONTROLS: Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above. Use local exhaust ventilation to control airborne vapor. Ensure eyewash/safety shower stations are available near areas where this product is used.



PG750 Pro-Grip Walkway Granules

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

RESPIRATORY PROTECTION: Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

EYE PROTECTION: Safety glasses or chemical goggles as appropriate to prevent eye contact. If necessary, refer to U.S. OSHA 29 CFR 1910.133 or appropriate Canadian Standards.

HAND PROTECTION: Use gloves to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138 or appropriate Standards of Canada.

BODY PROTECTION: Use body protection appropriate to prevent contact (e.g. lab coat, overalls). If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards.

SECTION 9 - PHYSICAL and CHEMICAL PROPERTIES

PHYSICAL STATE: Solid

APPEARANCE & ODOR: Granular solid with a slight odor.

ODOR THRESHOLD (PPM):

VAPOR PRESSURE (mmHg):

VAPOR DENSITY:

EVAPORATION RATE (nBuAc = 1):

BOILING POINT (C°):

Not Available

Not Available

Not Available

Not Available

Not Available

pH: Inert
SPECIFIC GRAVITY 20°C: (WATER =1) 2.65
SOLUBILITY IN WATER (%) Insoluble

SECTION 10 - STABILITY and REACTIVITY

STABILITY: Product is stable

DECOMPOSITION PRODUCTS: When heated to decomposition this product produces noxious gases such as CO and

00₂.

MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE: None known

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: None known

SECTION 11 - TOXICOLOGICAL INFORMATION

TOXICITY DATA: Toxicity data is not available for this product:

No LD50 Data Available

SUSPECTED CANCER AGENT: One or more of the ingredients are found on the following lists: FEDERAL OSHA Z LIST, NTP, CAL/OSHA, IARC and therefore are considered to be, or suspected to be a cancer-causing agent by these agencies.

Silica Sand (14808-60-7

IARC: Group 2B (possibly carcinogenic to humans)

NTP: Known Carcinogen Titanium dioxide (13463-67-7)

ACGIH: A4 - Not classifiable as a Human Carcinogen

NIOSH: Potential occupational carcinogen

IARC: Monograph 93 posted, Monograph 47 [1989] (Group 2B (possibly carcinogenic to humans))

IRRITANCY OF PRODUCT: Contact with this product can be irritating to exposed skin and eyes.

SENSITIZATION OF PRODUCT: This product is considered a skin sensitizer.

REPRODUCTIVE TOXICITY INFORMATION: No reported information concerning the effects of this product and its components on the human reproductive system.

April 2015 Page 4 of 6 www.pmsilicone.com



PG750 Pro-Grip Walkway Granules

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE: None known SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE: None known

ASPIRATION HAZARD: None

SECTION 12 - ECOLOGICAL INFORMATION

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

ENVIRONMENTAL STABILITY: No specific data is available for this product.

EFFECT OF MATERIAL ON PLANTS or ANIMALS: No specific data is currently available on this product's effects on plants or animals.

EFFECT OF CHEMICAL ON AQUATIC LIFE: No specific data is currently available on this product's effects on aquatic life.

SECTION 13 - DISPOSAL CONSIDERATIONS

PREPARING WASTES FOR DISPOSAL: Waste disposal must be in accordance with appropriate Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.

RCRA WASTE CODE: None listed EU WASTE CODE: Not Listed

SECTION 14 - TRANSPORTATION INFORMATION

US DOT: IATA; IMO; ADR:

THIS PRODUCT IS NOT CLASSIFIED AS DANGEROUS GOODS AS DEFINED BY 49 CFR 172.101 BY THE U.S. DEPARTMENT OF TRANSPORTATION.

PROPER SHIPPING NAME: Non-Regulated Material. HAZARD CLASS NUMBER and DESCRIPTION: None

UN IDENTIFICATION NUMBER: None

PACKING GROUP: None

DOT LABEL(S) REQUIRED: None

NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER (2004): None

MARINE POLLUTANT: This products ingredients that are not classified by the DOT as a Marine Pollutant (as defined

by 49 CFR 172.101, Appendix B)

TRANSPORT CANADA, TRANSPORTATION OF DANGEROUS GOODS REGULATIONS:

This product is not classified as Dangerous Goods, per regulations of Transport Canada.

INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA):

PROPER SHIPPING NAME: Non-Regulated Material. HAZARD CLASS NUMBER and DESCRIPTION: None

UN IDENTIFICATION NUMBER: None

PACKING GROUP: None

DOT LABEL(S) REQUIRED: None

INTERNATIONAL MARITIME ORGANIZATION (IMO) DESIGNATION:

This product is not classified as Dangerous Goods by the International Maritime Organization.

<u>EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR)</u>:

This product is not classified by the United Nations Economic Commission for Europe to be dangerous goods.

Harmonized Tariff Code Not Listed

SECTION 15 - REGULATORY INFORMATION

UNITED STATES REGULATIONS

SARA REPORTING REQUIREMENTS: This product is not subject to the reporting requirements of Sections 302, 304 and 313 of Title III of the Superfund Amendments and Reauthorization Act., as follows: None

TSCA: All components in this product are listed on the US Toxic Substances Control Act (TSCA) inventory of chemicals.

April 2015 Page 5 of 6 www.pmsilicone.com



PG750 Pro-Grip Walkway Granules

SARA 311/312:

Acute Yes Chronic Health: No Fire: No Reactivity: No

Health:

<u>U.S. SARA THRESHOLD PLANNING QUANTITY:</u> There are no specific Threshold Planning Quantities for this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lb (4,540 kg) may apply, per 40 CFR 370.20.

U.S. CERCLA REPORTABLE QUANTITY (RQ): None

<u>CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65)</u>: None of the ingredients are on the California Proposition 65 lists above the threshold levels.

CANADIAN REGULATIONS:

CANADIAN DSL/NDSL INVENTORY STATUS: All of the components of this product are on the DSL Inventory

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS: No component of this product is on the CEPA First Priorities Substance Lists.

CANADIAN WHMIS CLASSIFICATION and SYMBOLS: This product is categorized as Class D Division 2B Materials causing other toxic effects, as per the Controlled Product Regulations

EUROPEAN ECONOMIC COMMUNITY INFORMATION:

EU LABELING AND CLASSIFICATION:

Classification of the mixture according to Regulation (EC) No1272/2008. See section 2 for details.

AUSTRALIAN INFORMATION FOR PRODUCT:

AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES (AICS) STATUS: All components of this product are listed or exempt from listing on the AICS.

STANDARD FOR THE UNIFORM SCHEDULING OF DRUGS AND POISONS: Not applicable.

JAPANESE INFORMATION FOR PRODUCT:

JAPANESE MINISTER OF INTERNATIONAL TRADE AND INDUSTRY (MITI) STATUS: The components of this product are not listed as Class I Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

INTERNATIONAL CHEMICAL INVENTORIES:

Listing of the components on individual country Chemical Inventories is as follows:

Asia-Pac:

Australian Inventory of Chemical Substances (AICS):

Korean Existing Chemicals List (ECL):

Japanese Existing National Inventory of Chemical Substances (ENCS):

Philippines Inventory if Chemicals and Chemical Substances (PICCS):

Swiss Giftliste List of Toxic Substances:

Listed or exempt from listing

U.S. TSCA: Listed

SECTION 16 - OTHER INFORMATION

PREPARED BY: Paul Eigbrett GHS MSDS Compliance PLUS <u>www.ghsmsdscomplianceplus.com</u>

Disclaimer: The information and recommendations in this document are accurate to the best of our knowledge. User must conduct their own tests to determine the suitability of these products for their particular purposes. Because of numerous factors affecting results, Progressive Materials, LLC MAKES NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR PURPOSE, other than the material conforms to our applicable current specifications. Progressive Materials, LLC assumes no legal responsibility for use or reliance on the information contained in this Safety Data Sheet.

April 2015 Page 6 of 6 www.pmsilicone.com