

# P-110 EPDM Bleed-Block Primer

Prepared to U.S. OSHA, CMA, ANSI, Canadian WHMIS, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Union REACH

## SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

P-110 EPDM Bleed-Block Primer PRODUCT NAME:

CHEMICAL FAMILY NAME: Water-based Acrylic Primer

U.N. NUMBER Not Regulated **U.N. DANGEROUS GOODS CLASS:** Not Regulated

SUPPLIER/MANUFACTURER'S NAME: Progressive Materials, LLC

540 Central Ct, New Albany, IN 47150 USA ADDRESS:

**EMERGENCY PHONE:** TOLL-FREE in USA/Canada - Chemtrec: 1-800-424-9300 1-800-222-1222

National Poison Control Center (U.S.)

**BUSINESS PHONE:** 812-944-7803 (Product Information)

WEBSITE: www.pmsilicone.com DATE OF CURRENT REVISION: November 8, 2016 DAVE OF LAST REVISION: November 8, 2016

# **SECTION 2 - HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW:**

Product Description: This product is a viscous liquid, gray in color, with a mild Amine odor.

Health Hazards: Causes serious eye irritation with symptoms of reddening, tearing, swelling, and burning. May

cause allergic skin reaction with symptoms of reddening, itching, swelling, and rash.

Flammability Hazards: None known. Reactivity Hazards: None known. Environmental Hazards: None known.

Emergency Considerations: Cleanup personnel must use appropriate personal protective equipment. Cover spill

with inert material (e.g. dry sand or earth) and collect for proper disposal.

**US DOT SYMBOLS CANADA (WHIMS) SYMBOLS EUROPEAN AND (GHS) HAZARD SYMBOLS** 

Not regulated Not regulated

See Section 14 for Details Signal Word: Danger

# GHS Classification of Substance or Mixture In Accordance with 29 CFR 1200 (OSHA HCS) and The European **Union Directives:**

This product meets the definition of a hazardous substance or preparation as defined by 29 CFR 1910. 1200 AND the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

#### Component(s) Contributing to Classification(s):

Aluminum hydroxide; Titanium dioxide (Rutile); Ammonium Hydroxide; Crystalline Quartz Silica.

#### **GHS Hazard Classifications:**

Eye irritation Category 2A Skin sensitization Category 1 Carcinogenicity Category 1A

#### **Hazard Statements:**

H317: May cause an allergic skin reaction

H319: Causes serious eye irritation

H350: May cause cancer

#### **Precautionary Statements:**

P201: Obtain special instructions before use

P202: Do not handle until all safety precautions have been

read and understood

P261: Avoid breathing dust, mist, gas, vapors, or spray P264: Wash skin and face thoroughly after handling

P272: Contaminated work clothing should not be allowed out

of the workplace

P280: Wear permeation resistant protective gloves and

clothing. Wear eye and face protection.



#### P-110 EPDM Bleed-Block Primer

Prepared to U.S. OSHA, CMA, ANSI, Canadian WHMIS, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Union REACH

Health Hazards or Risks from Exposure:

**Acute:** Causes serious eye irritation with symptoms of reddening, tearing, swelling, and burning. May cause allergic skin reaction with symptoms of reddening, itching, swelling, and rash.

Chronic: May cause cancer.

Target Organs:

Acute: None Chronic: None

# **SECTION 3 - COMPOSITION and INFORMATION ON INGREDIENTS**

HAZARDOUS INGREDIENTS	CAS#	EINECS #	ICSC#	WT %	HAZARD CLASSIFICATION; RISK PHRASES
Aluminum hydroxide	21645-51-2	Not Listed in ESIS	Not Listed	10-20%	Eye irritation Category 2B.
Titanium dioxide (Rutile)	13463-67-7	Not Listed in ESIS	Not Listed	5-10%	Carcinogenicity Category 2 Inhalation Specific target organ toxicity – single exposure Category 3 Respiratory system
Ammonium Hydroxide	1336-21-6	Not Listed in ESIS	Not Listed	0.1-1%	Acute toxicity Category 4 Oral Acute toxicity Category 3 Inhalation Skin corrosion Category 1A Serious eye damage Category 1
Crystalline Quartz Silica	14808-60-7	Not Listed in ESIS	Not Listed	0.1-1%	Acute toxicity Category 4 Oral Carcinogenicity Category 1A Specific target organ toxicity - repeated exposure Category 1 Lungs

Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).

**Target Organs:** ALL WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2010 format. This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard JIS Z 7250: 2000.

# **SECTION 4 - FIRST-AID MEASURES**

**Eye Contact:** In case of contact, flush eyes with plenty of lukewarm water. Get medical attention if irritation develops. **Skin Contact:** In case of skin contact, wash affected areas with soap and water. Immediately remove contaminated clothing and shoes. Get medical attention if irritation develops and persists.

**Inhalation:** If inhaled, remove to fresh air. Get medical attention if irritation develops.

Ingestion: If ingested, do not induce vomiting unless directed to do so by medical personnel. Get medical attention.

# **SECTION 5 - FIRE-FIGHTING MEASURES**

Flash Point: Not applicable (water based product), however, solid material will

support combustion if water has been evaporated.

Autoignition Temperature: Not Established

Flammable Limits (in air by volume, %): Lower (LEL): Not established Upper (UEL): Not Established

Fire Extinguishing Materials: All extinguishing media are suitable.

**Unusual Fire and Explosion Hazards:** Toxic and irritating gases/fumes may be given off during burning or

thermal decomposition.

**Explosion Sensitivity to Mechanical Impact:** Not Sensitive. **Explosion Sensitivity to Static Discharge:** Not Sensitive.

**Special Fire-Fighting Procedures:** Firefighters should be equipped with self-contained breathing apparatus to

protect against potentially toxic and irritating fumes. Use cold water spray to

cool fire-exposed containers to minimize the risk of rupture.



#### P-110 EPDM Bleed-Block Primer

Prepared to U.S. OSHA, CMA, ANSI, Canadian WHMIS, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Union REACH

## **SECTION 6 - ACCIDENTAL RELEASE MEASURES**

**Spill and Leak Response:** Cleanup personnel must use appropriate personal protective equipment. Cover spill with inert material (e. g., dry sand or earth) and collect for proper disposal.

## **SECTION 7 - HANDLING and STORAGE**

**Work Practices and Hygiene Practices:** Avoid breathing dust, vapor, or mist. Avoid contact with skin or clothing. Avoid contact with eyes. Use only with adequate ventilation/personal protection. Wash thoroughly after handling. Keep container closed when not in use. Protect from freezing.

Storage and Handling Practices: Store locked up. Storage life: 12 months.

## SECTION 8 - EXPOSURE CONTROLS - PERSONAL PROTECTION

# **Exposure Limits/Guidelines:**

CHEMICAL NAME	CAS#	ACGIH TWA	OSHA TWA	WEEL
Aluminum hydroxide	21645-51-2	1 mg/m³	Not Listed	Not Listed
Titanium dioxide (Rutile)	13463-67-7	10 mg/m³	15 mg/m³	Not Listed
Ammonium Hydroxide	1336-21-6	25 ppm	50 ppm; 35 mg/ m <sup>3</sup>	Not Listed
Crystalline Quartz Silica	14808-60-7	0.025 mg/m <sup>3</sup>	0.1 mg/m <sup>3</sup>	Not Listed

**Ventilation and Engineering Controls:** General dilution and local exhaust as necessary to control airborne vapors, mists, dusts and thermal decomposition products below appropriate airborne concentration standards/guidelines.

Respiratory Protection: In case of insufficient ventilation, wear suitable respiratory equipment.

Eye Protection: Splash proof goggles.

Hand Protection: Permeation resistant gloves.

Body Protection: Wear cloth work clothing including long pants and long-sleeved shirts.

**Additional Protective Measures:** Employees should wash their hands and face before eating, drinking, or using tobacco products. Educate and train employees in the safe use and handling of this product. Emergency showers and eye wash stations should be available.

#### **SECTION 9 - PHYSICAL and CHEMICAL PROPERTIES**

Physical State: Liquid

Appearance & Odor Viscous liquid, black in color, with a mild Amine odor

Odor Threshold (PPM): Not available

Vapor Pressure (mmHg): 17 mmHg @ 20 °C (68 °F) similar to water

Vapor Density: Not available Evaporation Rate (nBuAc = 1): Not available

Boiling Point (C°): Approximately 100 °C (212 °F) similar to water Freezing Point (C°): Approximately 0 °C (32 °F) similar to water

pH: Not available

Specific Gravity 20°C (Water = 1): 1.5

Solubility in Water (%) Not available

# **SECTION 10 - STABILITY and REACTIVITY**

Stability: Product is stable.

Decomposition Products: By Thermal Decomposition: carbon monoxide, carbon dioxide, Acrylic monomers, other

potentially toxic fumes

Materials with Which Substance Is Incompatible: None known.

Hazardous Polymerization: Will not occur.

Conditions to Avoid: None known.

November 2016 Page 3 of 6 www.pmsilicone.com



#### P-110 EPDM Bleed-Block Primer

Prepared to U.S. OSHA, CMA, ANSI, Canadian WHMIS, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Union REACH

## **SECTION 11 - TOXICOLOGICAL INFORMATION**

## **Toxicity Data:**

CAS# 21645-51-2 LD50 Acute Oral	>2,000 mg/kg	Rat
CAS# 13463-67-7 LD50 Acute Oral	>5,000 mg/kg	Rat
CAS# 13463-67-7 LD50 Inhalation	>6.82 mg/kg/4 Hr	Rat
CAS# 13463-67-7 LD50 Acute Dermal	>10,000 mg/kg	Rat
CAS# 1336-21-6 LD50 Acute Oral	>350 mg/kg	Rat
CAS# 1336-21-6 LD50 Acute Inhalation	>2.87 mg/l/4 Hr	Rat
CAS# 14808-60-7 LD50 Acute Oral	>500 mg/kg	Rat

Suspected Cancer Agent: One or more of the ingredients are found on the following lists: FEDERAL OSHA Z LIST, NTP,

CAL/OSHA, IARC and therefore are considered to be, or suspected to be a cancer-causing agent by these agencies:

Titanium dioxide (Rutile) (13463-67-7)

IARC: 2B; Possibly carcinogenic to humans

1,3-Benzenedicarbonitrile

IARC: 2B; Possibly carcinogenic to humans

Crystalline Quartz Silica

NTP: Known to Be Human Carcinogen IARC: 1; Carcinogenic to humans Irritancy of Product: None known.

Sensitization of Product: None known.

Reproductive Toxicity Information: None known.

SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE: None known SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE: None known

**ASPIRATION HAZARD: None** 

#### **SECTION 12 - ECOLOGICAL INFORMATION**

#### ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

**ENVIRONMENTAL STABILITY:** No specific data is available for this product, however this product is not expected to be readily biodegradable

**EFFECT OF MATERIAL ON PLANTS or ANIMALS:** No specific data is currently available on this product's effects on plants or animals.

**EFFECT OF CHEMICAL ON AQUATIC LIFE:** No specific data is currently available on this product's effects on aquatic life; however release of this product may have long term effects on the aquatic environment.

#### **Specific Component Data:**

None available.

#### **Test & Species Conditions:**

None available.

# **SECTION 13 - DISPOSAL CONSIDERATIONS**

**Preparing Wastes for Disposal:** Waste disposal should be in accordance with existing federal, state and local environmental control laws.

RCRA Waste Code: None listed.
EU Waste Code: None listed.

# **SECTION 14 - TRANSPORTATION INFORMATION**

#### **US DOT: IATA: IMO: ADR:**

THIS PRODUCT IS NOT CLASSIFIED AS DANGEROUS GOODS AS DEFINED BY 49 CFR 172.101 BY THE U.S. DEPARTMENT OF TRANSPORTATION.



#### P-110 EPDM Bleed-Block Primer

Prepared to U.S. OSHA, CMA, ANSI, Canadian WHMIS, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Union REACH This product has been tested to the ASTM D-4206 Standard and determined that it does not sustain combustion. As result it is exempt from regulations when shipped ground or rail within the U.S.A.

PROPER SHIPPING NAME: Non-Regulated when shipped ground or rail with U.S.A.

**HAZARD CLASS NUMBER and DESCRIPTION: None** 

**UN IDENTIFICATION NUMBER: None** 

**PACKING GROUP: None** 

DOT LABEL(S) REQUIRED: None

NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER (2004): None

MARINE POLLUTANT: This products ingredients that are not classified by the DOT as a Marine Pollutant (as defined by 49 CFR

172.101, Appendix B)

## TRANSPORT CANADA, TRANSPORTATION OF DANGEROUS GOODS REGULATIONS:

This product is not classified as Dangerous Goods, per regulations of Transport Canada.

# INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA):

PROPER SHIPPING NAME: Non regulated

HAZARD CLASS NUMBER and DESCRIPTION: Non regulated

PACKING GROUP: Non regulated

DOT LABEL(S) REQUIRED: Non regulated

# INTERNATIONAL MARITIME ORGANIZATION (IMO) DESIGNATION:

This product is not classified as Dangerous Goods by the International Maritime Organization.\

# <u>EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD</u> (ADR):

This product is not classified by the United Nations Economic Commission for Europe to be dangerous goods.

Harmonized Tariff Code: Not Listed

# **SECTION 15 - REGULATORY INFORMATION**

# **United States Regulations:**

**SARA Reporting Requirements:** This product is not subject to the reporting requirements of Sections 302, 304 and 313 of Title III of the Superfund Amendments and Reauthorization Act., as follows: Chronic health hazard

TSCA: All components in this product are listed on the US Toxic Substances Control Act (TSCA) inventory of chemicals.

SARA 311/312: Acute No Chronic Health: Yes Fire: No Reactivity: No

**U.S. SARA Threshold Planning Quantity:** There are no specific Threshold Planning Quantities for this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lb (4,540 kg) may apply, per 40 CFR 370.20.

U.S. CERCLA Reportable Quantity (RQ): None

California Safe Drinking Water And Toxic Enforcement Act (Proposition 65): Warning! This product contains chemical(s) known to the State of California to be Carcinogenic. Developmental toxin. Female reproductive toxin. Male reproductive toxin.

#### Canadian Regulations:

Canadian DSL/NDSL Inventory Status: All of the components of this product are on the DSL Inventory

Canadian Environmental Protection Act (CEPA) Priorities Substances Lists: No component of this product is on the CEPA First Priorities Substance Lists.

**Canadian WHMIS CLASSIFICATION and SYMBOLS:** This product is categorized as a Class B Division 3 Combustible liquid, and Class D Division 2B Materials causing other toxic effects, as per the Controlled Product Regulations.

## **European Economic Community Information:**

**EU Labeling and Classification:** Classification of the mixture according to Regulation (EC) No1272/2008. See section 2 for details.

#### **Australian Information For Product:**

**Australian Inventory Of Chemical Substances (AICS) Status:** All components of this product are listed or exempt from listing on the AICS.

Standard For The Uniform Scheduling Of Drugs And Poisons: Not applicable.

**Japanese Information For Product:** 

November 2016 Page 5 of 6 www.pmsilicone.com



#### P-110 EPDM Bleed-Block Primer

Prepared to U.S. OSHA, CMA, ANSI, Canadian WHMIS, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Union REACH Japanese Minister Of International Trade And Industry (MITI) Status: The components of this product are not listed as Class I Specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

## **International Chemical Inventories:**

Listing of the components on individual country Chemical Inventories is as follows:

Asia-Pac: Listed or exempt from listing

Australian Inventory of Chemical Substances (AICS): Listed or exempt from listing

Korean Existing Chemicals List (ECL): Listed or exempt from listing

Japanese Existing National Inventory of Chemical Substances (ENCS): Listed or exempt from listing

Philippines Inventory if Chemicals and Chemical Substances (PICCS):

Listed or exempt from listing

Listed or exempt from listing

U.S. TSCA: Listed

# **SECTION 16 - OTHER INFORMATION**

Disclaimer: The information and recommendations in this document are accurate to the best of our knowledge. User must conduct their own tests to determine the suitability of these products for their particular purposes. Because of numerous factors affecting results, Progressive Materials, LLC MAKES NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR PURPOSE, other than the material conforms to our applicable current specifications. Progressive Materials, LLC assumes no legal responsibility for use or reliance on the information contained in this Material Safety Data Sheet.

November 2016 Page 6 of 6 www.pmsilicone.com